

chain nodes :

15

ring nodes :

1 2 3 4 5 6 7 8 9 10 11 12 13

chain bonds :

12-15

ring bonds :

1-2 1-6 2-3 3-4 4-5 4-7 5-6 5-10 7-8 7-11 8-9 8-13 9-10 11-12 12-13

exact/norm bonds :

8-13 12-13 12-15

exact bonds :

4-7 5-10 7-8 7-11 8-9 9-10 11-12

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6

isolated ring systems :

containing 1 :

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom 11:Atom
12:Atom 13:Atom 15:CLASS

Trying 3106016892...Open

Welcome to STN International! Enter x:x

LOGINID:ssspta1611hxl

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
 NEWS 2 Jun 2 KOREAN PATENTS NOW IN CAS DATABASES
 NEWS 3 Jun 20 WIPO/PCT Patents Fulltext Database now on STN
 NEWS 4 Jun 28 CAS covers Web-distributed preprints
 NEWS 5 Jul 7 Patent Full-text Cluster, PNTTEXT, introduced
 NEWS 6 Jul 27 EUROPATFULL - loading of backlog data
 NEWS 7 Jul 27 MORE FREQUENT UPDATES FOR DERWENT WORLD PATENTS
 INDEX IN 2000
 NEWS 8 Jul 27 Derwent Journal Of Synthetic Methods Reloaded
 with New Data
 NEWS 9 Jul 27 DERWENT WORLD PATENTS INDEX: FAST TRACK RELEASE OF
 EQUIVALENT PATENTS
 NEWS 10 Aug 21 Instant Access to FDA Regulatory Information with
 DIOGENES
 NEWS 11 Aug 21 CAS patent coverage expanded
 NEWS 12 Aug 24 TABULATE Now Available in More STN Databases
 NEWS 13 Aug 28 MEDLINE from 1958 to Date - Only on STN
 NEWS 14 Sep 07 DGENE GETSIM ALERT: Similarity Current-Awareness
 Searching of Biosequences

 NEWS EXPRESS FREE UPGRADE 5.0D FOR STN EXPRESS 5.0 WITH DISCOVER!
 (WINDOWS) NOW AVAILABLE
 NEWS HOURS STN Operating Hours Plus Help Desk Availability
 NEWS INTER General Internet Information
 NEWS LOGIN Welcome Banner and News Items
 NEWS PHONE Direct Dial and Telecommunication Network Access to STN
 NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
 specific topic.

All use of STN is subject to the provisions of the STN Customer
 agreement. Please note that this agreement limits use to scientific
 research. Use for software development or design or implementation
 of commercial gateways or other similar uses is prohibited and may
 result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 12:29:03 ON 09 SEP 2000

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE TOTAL
 ENTRY SESSION

Hong

Page 1

FILE 'REGISTRY' ENTERED AT 12:29:06 ON 09 SEP 2000
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2000 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 8 SEP 2000 HIGHEST RN 288568-75-2
DICTIONARY FILE UPDATES: 8 SEP 2000 HIGHEST RN 288568-75-2

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 11, 2000

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Structure search limits have been increased. See HELP SLIMIT
for details.

=>Testing the current file.... screen

ENTER SCREEN EXPRESSION OR (END):end

=>

Uploading c:\stnexp4\queries\09552969.str

L1 STRUCTURE UPLOADED

=> que L1

L2 QUE L1

=> s l1

SAMPLE SEARCH INITIATED 12:29:24 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 159 TO ITERATE

100.0% PROCESSED 159 ITERATIONS
SEARCH TIME: 00.00.01

0 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 2424 TO 3936
PROJECTED ANSWERS: 0 TO 0

L3 0 SEA SSS SAM L1

=> s l1 ful

FULL SEARCH INITIATED 12:29:37 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 3220 TO ITERATE

100.0% PROCESSED 3220 ITERATIONS
SEARCH TIME: 00.00.01

12 ANSWERS

L4 12 SEA SSS FUL L1

=> d scan


L4 12 ANSWERS REGISTRY COPYRIGHT 2000 ACS
IN Benzenesulfonamide,
2-fluoro-N-[[trans-4-[[[(3aR,9bS)-3a,4,5,9b-tetrahydro-
7-methoxy-1H-benz[e]indol-2-yl]amino]methyl]cyclohexyl]methyl]-,

Hong

Page 2

monohydrochloride, rel- (9CI)
MF C27 H34 F N3 O3 S . Cl H

Relative stereochemistry.



● HCl

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):end

=> fil caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	126.60	126.75

FILE 'CAPLUS' ENTERED AT 12:30:35 ON 09 SEP 2000
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2000 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE COVERS 1967 - 9 Sep 2000 VOL 133 ISS 12
FILE LAST UPDATED: 8 Sep 2000 (20000908/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

Now you can extend your author, patent assignee, patent information, and title searches back to 1907. The records from 1907-1966 now have this searchable data in CAOLD. You now have electronic access to all of CA: 1907 to 1966 in CAOLD and 1967 to the present in CAPLUS on STN.


=> s 14

L5 1 L4

=> d ibib abs hitstr 1-

L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2000 ACS
 ACCESSION NUMBER: 2000:146875 CAPLUS
 DOCUMENT NUMBER: 132:279085
 TITLE: N-(Sulfonamidoalkyl)(tetrahydro-1H-benz[e]indol-2-yl)amines: potent antagonists of human neuropeptide Y Y5 receptor
 AUTHOR(S): McNally, James J.; Youngman, Mark A.; Lovenberg, Timothy W.; Nepomuceno, Diane H.; Wilson, Sandy J.; Dax, Scott L.
 CORPORATE SOURCE: Drug Discovery, The R. W. Johnson Pharmaceutical Research Institute, Spring House, PA, 19477, USA
 SOURCE: Bioorg. Med. Chem. Lett. (2000), 10(3), 213-216
 CODEN: BMCLE8; ISSN: 0960-894X
 PUBLISHER: Elsevier Science Ltd.
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 GI

Feb. 7, 2000



AB (3A,4,5,9b-Tetrahydro-1H-benz[e]indol-2-yl)amines were prepd. via reductive amination and concomitant cyclization of .alpha.-cyanomethyl-.beta.-aminotetralins. N-acylation with .OMEGA.-sulfonamido-carboxylic acids and subsequent redn. afforded a series of title compds., e.g., I (Y = CO, CH2), which bound to the human neuropeptide Y Y5 receptor with nanomolar affinity.


IT 263843-82-9P 263843-83-0P 263843-84-1P
 263843-85-2P 263843-86-3P 263843-87-4P
 263843-88-5P 263843-89-6P 263843-90-9P
 263843-91-0P 263843-92-1P 263843-93-2P

RL: BAC (Biological activity or effector, except adverse); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
 (prepn. and neuropeptide Y5 receptor binding affinity of)

RN 263843-82-9 CAPLUS

CN Acetamide, N-[(3aR,9bS)-3a,4,5,9b-tetrahydro-7-methoxy-1H-benz[e]indol-2-yl]-, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




RN 263843-83-0 CAPLUS

CN Cyclohexanecarboxamide, 4-[[[(phenylsulfonyl)amino]methyl]-N-[(3aR,9bS)-

3a,4,5,9b-tetrahydro-1H-benz[e]indol-2-yl]-, monohydrochloride,
trans-rel-
(9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl

RN 263843-84-1 CAPLUS
CN Benzenesulfonamide, N-[[trans-4-[[[(3aR,9bS)-3a,4,5,9b-tetrahydro-1H-benz[e]indol-2-yl]amino]methyl]cyclohexyl]methyl]-, monohydrochloride, rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl

RN 263843-85-2 CAPLUS
CN Cyclohexanecarboxamide, 4-[[[(phenylsulfonyl)amino]methyl]-N-[(3aR,9bS)-3a,4,5,9b-tetrahydro-7-methoxy-1H-benz[e]indol-2-yl]-, monohydrochloride, trans-rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




● HCl

RN 263843-86-3 CAPLUS

CN Benzenesulfonamide, N-[[trans-4-[[[(3aR, 9bS)-3a,4,5,9b-tetrahydro-7-methoxy-1H-benz[e]indol-2-yl]amino]methyl]cyclohexyl)methyl]-, monohydrochloride, rel- (9CI) (CA INDEX NAME)

Relative stereochemistry.




● HCl

RN 263843-87-4 CAPLUS

CN Cyclohexanecarboxamide, 4-[[[(phenylsulfonyl)amino]methyl]-N-[(3aR, 9bS)-3a,4,5,9b-tetrahydro-7-hydroxy-1H-benz[e]indol-2-yl]-, monohydrochloride, trans-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl

RN 263843-88-5 CAPLUS
 CN Benzenesulfonamide, N-[[[trans-4-[[[(3aR,9bS)-3a,4,5,9b-tetrahydro-7-hydroxy-1H-benz[e]indol-2-yl]amino]methyl]cyclohexyl]methyl]-, monohydrochloride, rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl

RN 263843-89-6 CAPLUS
 CN Cyclohexanecarboxamide, N-[(3aR,9bS)-7-chloro-3a,4,5,9b-tetrahydro-1H-benz[e]indol-2-yl]-4-[(phenylsulfonyl)amino]methyl]-, monohydrochloride, trans-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl

RN 263843-90-9 CAPLUS
 CN Benzenesulfonamide, N-[[[trans-4-[[[(3aR,9bS)-7-chloro-3a,4,5,9b-tetrahydro-1H-benz[e]indol-2-yl]amino]methyl]cyclohexyl]methyl]-, monohydrochloride, rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl

RN 263843-91-0 CAPLUS
 CN Cyclohexanecarboxamide, 4-[[[(2-fluorophenyl)sulfonyl]amino]methyl]-N-
 [(3aR,9bS)-3a,4,5,9b-tetrahydro-7-methoxy-1H-benz[e]indol-2-yl]-,
 monohydrochloride, trans-rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl

RN 263843-92-1 CAPLUS
 CN Benzenesulfonamide,
 2-fluoro-N-[[trans-4-[[[(3aR,9bS)-3a,4,5,9b-tetrahydro-
 7-methoxy-1H-benz[e]indol-2-yl]amino]methyl]cyclohexyl]methyl]-,
 monohydrochloride, rel- (9CI) (CA INDEX NAME)


Relative stereochemistry.



● HCl

Hong


Page 8



● HCl

RN 263843-93-2 CAPLUS
 CN Hexanamide, 2-amino-6-[[(2-fluorophenyl)sulfonyl]amino]-N-[(3aR,9bS)-7-fluoro-3a,4,5,9b-tetrahydro-1H-benz[e]indol-2-yl]-, monohydrochloride, (2S)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



● HCl

REFERENCE COUNT: 20
 REFERENCE(S):
 (1) Castan, I; Endocrinology 1992, V131, P1970 CAPLUS
 (2) Clark, J; Endocrinology 1984, V115, P427 CAPLUS
 (3) Criscione, L; J Clin Invest 1998, V102, P2136 CAPLUS
 (4) Fuhlendorff, J; Proc Natl Acad Sci USA 1990, V87, P182 CAPLUS
 (5) Gerald, C; WO 97/46250 1997 CAPLUS
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> fil reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	4.90	131.65
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-0.56	-0.56

FILE 'REGISTRY' ENTERED AT 12:32:36 ON 09 SEP 2000
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2000 American Chemical Society (ACS)

Hong

Page 9

STRUCTURE FILE UPDATES: 8 SEP 2000 HIGHEST RN 288568-75-2
DICTIONARY FILE UPDATES: 8 SEP 2000 HIGHEST RN 288568-75-2

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 11, 2000

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Structure search limits have been increased. See HELP SLIMIT
for details.

=>Testing the current file.... screen

ENTER SCREEN EXPRESSION OR (END):end

=>

Uploading c:\stnexp4\queries\09552969.str

L6 STRUCTURE UPLOADED

=> que L6

L7 QUE L6

=> s 16

SAMPLE SEARCH INITIATED 12:32:54 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 179 TO ITERATE

100.0% PROCESSED 179 ITERATIONS
SEARCH TIME: 00.00.01

0 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 2778 TO 4382
PROJECTED ANSWERS: 0 TO 0

L8 0 SEA SSS SAM L6

=>Testing the current file.... screen

ENTER SCREEN EXPRESSION OR (END):end

=>

Uploading c:\stnexp4\queries\09552969.str

L9 STRUCTURE UPLOADED

=> que L9

L10 QUE L9

=> s 19

SAMPLE SEARCH INITIATED 12:33:43 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 19192 TO ITERATE

5.2% PROCESSED 1000 ITERATIONS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

10 ANSWERS


FULL FILE PROJECTIONS: ONLINE **COMPLETE**
 BATCH **COMPLETE**
 PROJECTED ITERATIONS: 375589 TO 392091
 PROJECTED ANSWERS: 3007 TO 4669

L11 10 SEA SSS SAM L9

=> d scan


L11 10 ANSWERS REGISTRY COPYRIGHT 2000 ACS
 IN Hasubanan-16-one, 8,10-epoxy-6-hydroxy-3,4,7,8-tetramethoxy-17-methyl-,
 (6.beta.,7.beta.,8.beta.,10.beta.)- (9CI)
 MF C21 H27 N O7

Absolute stereochemistry.




HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):2

L11 10 ANSWERS REGISTRY COPYRIGHT 2000 ACS
 IN 7H-Dibenzo[a,g]carbazole, 9-isopropyl- (8CI)
 MF C23 H19 N




L11 10 ANSWERS REGISTRY COPYRIGHT 2000 ACS
 IN 1H-Benz[e]indolium,
 3-butyl-2-[3-[1,3-dihydro-3,3-dimethyl-1-(2-propenyl)-
 2H-indol-2-ylidene]-1-propenyl]-1,1-dimethyl-, perchlorate (9CI)
 MF C34 H39 N2 . Cl O4

CM 1



CM 2



HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):end

=>Testing the current file.... screen

ENTER SCREEN EXPRESSION OR (END):end

=>

Uploading c:\stnexp4\queries\09552969.str

L12 STRUCTURE UPLOADED

=> que L12

L13 QUE L12

=> s l12

SAMPLE SEARCH INITIATED 12:34:59 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 19192 TO ITERATE

5.2% PROCESSED 1000 ITERATIONS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01


10 ANSWERS

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 375589 TO 392091
PROJECTED ANSWERS: 3007 TO 4669

L14 10 SEA SSS SAM L12

=> d scan

L14 10 ANSWERS REGISTRY COPYRIGHT 2000 ACS
IN 1H-Benz[e]indolium, 2-[[3-[[1,3-dihydro-1,1-dimethyl-7,9-disulfo-3-(4-sulfobutyl)-2H-benz[e]indol-2-ylidene]methyl]-2-hydroxy-4,5-dioxo-2-cyclopenten-1-ylidene]methyl]-1,1-dimethyl-7,9-disulfo-3-(4-sulfobutyl)-, inner salt, hexapotassium salt (9CI)
MF C43 H44 N2 O21 S6 . 6 K




● 6 K

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):end

=> d 112

L12 HAS NO ANSWERS
L12 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 112 ful

FULL SEARCH INITIATED 12:35:42 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 387071 TO ITERATE

100.0% PROCESSED 387071 ITERATIONS
SEARCH TIME: 00.00.07

4659 ANSWERS

L15 4659 SEA SSS FUL L12

=>Testing the current file.... screen

ENTER SCREEN EXPRESSION OR (END):end

=>

Uploading c:\stnexp4\queries\09552969.str

L16 STRUCTURE UPLOADED

Hong

Page 13

=> que L16

L17 QUE L16

=> s 116 ful sub=115

FULL SUBSET SEARCH INITIATED 12:36:58 FILE 'REGISTRY'
FULL SUBSET SCREEN SEARCH COMPLETED - 14 TO ITERATE

100.0% PROCESSED 14 ITERATIONS 12 ANSWERS
SEARCH TIME: 00.00.01

L18 12 SEA SUB=L15 SSS FUL L16

=> fil caplus

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	158.40	290.05
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-0.56

FILE 'CAPLUS' ENTERED AT 12:37:11 ON 09 SEP 2000
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2000 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE COVERS 1967 - 9 Sep 2000 VOL 133 ISS 12
FILE LAST UPDATED: 8 Sep 2000 (20000908/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

Now you can extend your author, patent assignee, patent information, and title searches back to 1907. The records from 1907-1966 now have this searchable data in CAOLD. You now have electronic access to all of CA: 1907 to 1966 in CAOLD and 1967 to the present in CAPLUS on STN.

=> s 118

L19 1 L18

=> d ibib

L19 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2000 ACS
ACCESSION NUMBER: 2000:146875 CAPLUS
DOCUMENT NUMBER: 132:279085
TITLE: N-(Sulfonamidoalkyl)(tetrahydro-1H-benz[e]indol-2-yl)amines: potent antagonists of human neuropeptide Y Y5 receptor

AUTHOR(S): McNally, James J.; Youngman, Mark A.; Lovenberg, Timothy W.; Nepomuceno, Diane H.; Wilson, Sandy J.; Dax, Scott L.

CORPORATE SOURCE: Drug Discovery, The R. W. Johnson Pharmaceutical Research Institute, Spring House, PA, 19477, USA

SOURCE: Bioorg. Med. Chem. Lett. (2000), 10(3), 213-216
CODEN: BMCLE8; ISSN: 0960-894X

PUBLISHER: Elsevier Science Ltd.

DOCUMENT TYPE: Journal

LANGUAGE: English

REFERENCE COUNT: 20

REFERENCE(S): (1) Castan, I; Endocrinology 1992, V131, P1970 CAPLUS
(2) Clark, J; Endocrinology 1984, V115, P427 CAPLUS
(3) Criscione, L; J Clin Invest 1998, V102, P2136 CAPLUS
(4) Fuhendorff, J; Proc Natl Acad Sci USA 1990, V87, P182 CAPLUS
(5) Gerald, C; WO 97/46250 1997 CAPLUS
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> fil reg

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	1.49	291.54
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-0.56

FILE 'REGISTRY' ENTERED AT 12:38:24 ON 09 SEP 2000
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2000 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 8 SEP 2000 HIGHEST RN 288568-75-2
DICTIONARY FILE UPDATES: 8 SEP 2000 HIGHEST RN 288568-75-2

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 11, 2000

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Structure search limits have been increased. See HELP SLIMIT
for details.

=> d his

(FILE 'HOME' ENTERED AT 12:29:03 ON 09 SEP 2000)

FILE 'REGISTRY' ENTERED AT 12:29:06 ON 09 SEP 2000

L1	STRUCTURE UPLOADED
L2	QUE L1
L3	0 S L1
L4	12 S L1 FUL

FILE 'CAPLUS' ENTERED AT 12:30:35 ON 09 SEP 2000

L5	1 S L4
----	--------

FILE 'REGISTRY' ENTERED AT 12:32:36 ON 09 SEP 2000

L6	STRUCTURE UPLOADED
L7	QUE L6


L8 0 S L6
L9 STRUCTURE UPLOADED
L10 QUE L9
L11 10 S L9
L12 STRUCTURE UPLOADED
L13 QUE L12
L14 10 S L12
L15 4659 S L12 FUL
L16 STRUCTURE UPLOADED
L17 QUE L16
L18 12 S L16 FUL SUB=L15

FILE 'CAPLUS' ENTERED AT 12:37:11 ON 09 SEP 2000
L19 1 S L18

FILE 'REGISTRY' ENTERED AT 12:38:24 ON 09 SEP 2000

=> d 112


L12 HAS NO ANSWERS
L12 STR



Structure attributes must be viewed using STN Express query preparation.

=> d 116

L16 HAS NO ANSWERS
L16 STR



Structure attributes must be viewed using STN Express query preparation.

=> save 112

ENTER NAME OR (END):f9552969/a

L12 IS NOT AN ANSWER SET
A name ending in /A can only be used to save the L-number answer set resulting from a search.

=> save 115

ENTER NAME OR (END):f9552969/a

ANSWER SET L15 HAS BEEN SAVED AS 'F9552969/A'

=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.90	292.44
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-0.56

STN INTERNATIONAL LOGOFF AT 12:40:20 ON 09 SEP 2000

Trying 3106016892...Open

Welcome to STN International! Enter x:x

LOGINID:sssptal61lhx1

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2	Jun 2	KOREAN PATENTS NOW IN CAS DATABASES
NEWS	3	Jun 20	WIPO/PCT Patents Fulltext Database now on STN
NEWS	4	Jun 28	CAS covers Web-distributed preprints
NEWS	5	Jul 7	Patent Full-text Cluster, PNTTEXT, introduced
NEWS	6	Jul 27	EUROPATFULL - loading of backlog data
NEWS	7	Jul 27	MORE FREQUENT UPDATES FOR DERWENT WORLD PATENTS INDEX IN 2000
NEWS	8	Jul 27	Derwent Journal Of Synthetic Methods Reloaded with New Data
NEWS	9	Jul 27	DERWENT WORLD PATENTS INDEX: FAST TRACK RELEASE OF EQUIVALENT PATENTS
NEWS	10	Aug 21	Instant Access to FDA Regulatory Information with DIOGENES
NEWS	11	Aug 21	CAS patent coverage expanded
NEWS	12	Aug 24	TABULATE Now Available in More STN Databases
NEWS	13	Aug 28	MEDLINE from 1958 to Date - Only on STN
NEWS	14	Sep 7	DGENE GETSIM ALERT: Similarity Current-Awareness Searching of Biosequences
NEWS	15	Sep 11	Textile Technology Digest (TEXTILETECH) now available on STN
NEWS EXPRESS			FREE UPGRADE 5.0D FOR STN EXPRESS 5.0 WITH DISCOVER! (WINDOWS) NOW AVAILABLE
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS INTER			General Internet Information
NEWS LOGIN			Welcome Banner and News Items
NEWS PHONE			Direct Dial and Telecommunication Network Access to STN
NEWS WWW			CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 10:35:25 ON 18 SEP 2000

=> activate

THIS COMMAND NOT AVAILABLE IN THE CURRENT FILE
Some commands only work in certain files. For example, the EXPAND command can only be used to look at the index in a file which has an index. Enter "HELP COMMANDS" at an arrow prompt (=>) for a list of commands which can be used in this file.

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.15

0.15

FILE 'REGISTRY' ENTERED AT 10:35:42 ON 18 SEP 2000
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2000 American Chemical Society (ACS)

STRUCTURE FILE UPDATES: 17 SEP 2000 HIGHEST RN 289617-02-3
DICTIONARY FILE UPDATES: 17 SEP 2000 HIGHEST RN 289617-02-3

TSCA INFORMATION NOW CURRENT THROUGH JANUARY 11, 2000

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

Structure search limits have been increased. See HELP SLIMIT
for details.

=> activate

ENTER NAME OF SAVED ITEM TO ACTIVATE OR (END):f9552969

'F9552969' MUST END IN '/Q', '/A', '/L', '/S', OR '/B'
The name of a saved query (or structure or screen set) ends in '/Q'.
The name of a saved answer set ends in '/A'. The name of a saved L#
list ends in '/L'. The name of an SDI request ends in '/S'. The name
of a BATCH search request ends in '/B'. You must enter the /Q, /A,
/L, /S, or /B at the end of the name.
ENTER NAME OF SAVED ITEM TO ACTIVATE OR (END):f9552969/a

L1 STR
L2 4659 SEA FILE=REGISTRY SSS FUL L1

=>Testing the current file.... screen

ENTER SCREEN EXPRESSION OR (END):end

=>
Uploading c:\stnexp4\queries\09552969.str


L3 STRUCTURE UPLOADED

=> que L3

L4 QUE L3

=> d l3

L3 HAS NO ANSWERS
L3 STR



Structure attributes must be viewed using STN Express query preparation.

=> s 13

SAMPLE SEARCH INITIATED 10:40:05 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 6 TO ITERATE

100.0% PROCESSED 6 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED ITERATIONS: 6 TO 266
PROJECTED ANSWERS: 0 TO 0

L5 0 SEA SSS SAM L3

=> s 13 ful

FULL SEARCH INITIATED 10:40:18 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 121 TO ITERATE

100.0% PROCESSED 121 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

L6 0 SEA SSS FUL L3

=> logoff

ALL L# QUERIES AND ANSWER SETS ARE DELETED AT LOGOFF
LOGOFF? (Y)/N/HOLD:y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	128.40	128.55

STN INTERNATIONAL LOGOFF AT 10:40:43 ON 18 SEP 2000